



U.S. Department
of Transportation
**Research and
Special Programs
Administration**

400 Seventh St., S.W.
Washington, D.C. 20590

DOT-E 7951
(THIRD REVISION)

OCT 17 2001

EXPIRATION DATE: September 30, 2003

(FOR RENEWAL, SEE 49 CFR § 107.109)

1. GRANTEE: ConAgra Dairy Foods
Downers Grove, IL
(Former Grantee:
Beatrice Group, Inc.
Waukesha, WI)
2. PURPOSE AND LIMITATION:
 - a. This exemption authorizes the transportation in commerce of certain aerosols containing Division 2.2 materials, with a charge pressure not exceeding 150 psig at 75°F when shipped in a refrigerated state. This exemption provides no relief from any Hazardous Materials Regulations (HMR) other than as specifically stated herein.
 - b. The safety analyses performed in development of this exemption only considered that hazards and risks associated with transportation in commerce.
3. REGULATORY SYSTEM AFFECTED: 49 CFR Parts 106, 107 and 171-180.
4. REGULATIONS FROM WHICH EXEMPTED: 49 CFR 173.306(b)(1), 175.3, except as specified herein.
5. BASIS: This exemption is based on the application of ConAgra dated September 10, 2001, submitted in accordance with § 107.109.

OCT 17 2001

6. HAZARDOUS MATERIALS (49 CFR § 172.101):

Proper Shipping Name/ Hazardous Materials Description --	Hazard Class/ Division	Identi- fication Number	Packing Group
Compressed gas, n.o.s.	2.2	UN1956	N/A

7. SAFETY CONTROL MEASURES: Prescribed packaging is a non-refillable metal container conforming to the requirements of a DOT Specification 2P except as follows:

- a. Each can is equipped with rim-venting release (RVR) device designed to relieve at not less than 175 psig and not over 210 psig.
- b. One out of each case lot of 10,000 cylinders or less must be pressure tested to destruction. Failure at pressure below 175 psig and over 210 psig or failure occurring at other than RVR device will reject the lot. A case lot is defined as a lot of cylinders of the same size and design and built to the same specification by one manufacturer only.
- c. In lieu of the marking required by § 178.33-9(a)(1), each container must be marked "DOT-E 7951."
- d. The maximum charge pressure allowed at 75°F is 150 psig.

8. SPECIAL PROVISIONS:

- a. A person who is not a holder of this exemption who receives a package covered by this exemption may reoffer it for transportation provided no modification or change is made to the package or its contents and it is reoffered for transportation in conformance with this exemption and the HMR.
- b. A current copy of this exemption must be maintained at each facility where the package is offered or reoffered for transportation.


OCT 17 2001

- c. Containers must be packed in strong outside containers conforming with § 173.301(k). Each outside package must be legibly marked "THIS SIDE UP" or "THIS END UP", as appropriate, to indicate the upward position of the inside packaging.
9. MODES OF TRANSPORTATION AUTHORIZED: Motor vehicle, rail freight, cargo vessel, cargo aircraft only, and passenger aircraft.
10. MODAL REQUIREMENTS: A current copy of this exemption must be carried aboard each cargo vessel, aircraft or motor vehicle used to transport packages covered by this exemption. The shipper must furnish a copy of this exemption to the air carrier before or at the time the shipment is tendered.
11. COMPLIANCE: Failure by a person to comply with any of the following may result in suspension or revocation of this exemption and penalties prescribed by the Federal hazardous materials transportation law, 49 U.S.C. § 5101 et seq:
- o All terms and conditions prescribed in this exemption and the Hazardous Materials Regulations, 49 CFR Parts 171-180.
 - o Registration required by § 107.601 et seq., when applicable.
- Each "Hazmat employee", as defined in § 171.8, who performs a function subject to this exemption must receive training on the requirements and conditions of this exemption in addition to the training required by §§ 172.700 through 172.704.
- No person may use or apply this exemption, including display of its number, when the exemption has expired or is otherwise no longer in effect.
12. REPORTING REQUIREMENTS: The carrier is required to report any incident involving loss of packaging contents or packaging failure to the Associate Administrator for Hazardous Materials Safety (AAHMS) as soon as

OCT 17 2001

practicable. (Sections 171.15 and 171.16 apply to any activity undertaken under the authority of this exemption.) In addition, the holder(s) of this exemption must inform the AAHMS, in writing, of any incident involving the package and shipments made under the terms of this exemption.

Issued in Washington, D.C.:



For Robert A. McGuire
Associate Administrator for
Hazardous Materials Safety

OCT 17 2001

(DATE)

Address all inquiries to: Associate Administrator for
Hazardous Materials Safety, Research and Special Programs
Administration, Department of Transportation, Washington, D.C.
20590.

Attention: DHM-31.

The original of this exemption is on file at the above office.
Photo reproductions and legible reductions of this exemption
are permitted. Any alteration of this exemption is
prohibited.

PO: sdc